



HIGH VELOCITY PROTECTION
AT PLAY+WORK



2011

EYEWEAR

THE WEIGHT AND VELOCITY OF FLYING OBJECTS CAN SHATTER ORDINARY EYEWEAR.

WILEY X PROTECTS AGAINST BOTH.



ANSI HIGH MASS IMPACT TEST

To earn the coveted ANSI Z87.1-2003 certification, Wiley X frames and lenses must withstand the weight of a 1.1 lb. pointed projectile dropped from a height of 50". The lens must remain intact and no part of the frame can be detached. That pretty much ensures they'll stand up to anything your customers will encounter.



ANSI HIGH VELOCITY IMPACT TEST

ANSI requires that our frames and lenses withstand the impact of a .25 inch diameter steel ball fired at a speed of 150 fps. Absolutely no contact with the head-form is allowed. We repeat this test 20 times from different angles aimed at different areas of the lens to make sure our lenses are practically indestructible.



Wiley X has earned the distinguished designation of being ISO 9001:2008 certified. This verifies that our production processes and products meet the highest quality standards.

THE MARK OF HIGH PERFORMANCE CERTIFICATION

Your Your customers are assured that all Wiley X styles are ANSI certified because we test and mark all of our frames, temples and lenses with the appropriate ANSI certification.

Mark Component / Where to Find It / What It Means	
WX	Precedes all ANSI frame and lens certification marks. / Wiley X is the manufacturer.
Z87	Inside frame and temples of spectacles (sunglasses); inside frame and lens housing or lens carrier of goggles. / The sunglass frame or goggles frame passes the ANSI basic impact test.
-2	Inside frame and temples of spectacles (sunglasses). / The frames can be fitted with a prescription lens, which is the case with almost all Wiley X sunglasses.
+	On a spectacle (sunglass) or goggle lens. / Lens meets or exceeds the ANSI High Velocity Impact standard.
S	On a spectacle (sunglass) or goggle lens. / Lens is a filter or shaded lens (not clear).
V	On a spectacle (sunglass) or goggle lens. / The lens is variable-tint photochromic (light adjusting).

Examples:

WX Z87-2 on a sunglass frame = manufacturer is Wiley X, frame is certified for the ANSI Basic Impact standard and can take a prescription lens.

WX+S on a sunglass or goggle lens = Wiley X is the manufacturer, the lens is certified for the ANSI High Velocity Impact standard and is shaded (not clear).

TECHNOLOGY	4-7
CLIMATE CONTROL SERIES	8-12
GOGGLES	13
ACTIVE SERIES	14-17
STREET SERIES	18-25
CHANGEABLE SERIES	26-31
ACCESSORIES / DISPLAYS	32-33
TERMS / WARRANTY	34



MORE THAN 1 MILLION AMERICANS HAVE LOST SOME DEGREE OF SIGHT DUE TO EYE INJURY.

MORE THAN 40% OF DISABLING EYE INJURIES OCCUR AROUND THE HOME, WHILE PLAYING SPORTS OR PARTICIPATING IN OUTDOOR RECREATIONAL ACTIVITIES.

A ROCK KICKED UP BY A LAWN MOWER OR BY A VEHICLE CAN TRAVEL AT 60 MPH OR MORE, SHATTERING ORDINARY FRAMES AND LENSES.

MORE THAN 10 MILLION AMERICANS SUFFER FROM DRY EYE SYNDROME, CAUSED BY DEHYDRATION AND EXPOSURE TO DUST AND POLLEN, AND EXACERBATED BY LACK OF USING PROPER EYE PROTECTION.

EXPERTS AGREE THAT 90% OF EYE INJURIES CAN BE AVOIDED SIMPLY BY WEARING THE PROPER EYEWEAR.

FOR MORE THAN TWO DECADES,

Wiley X is proud to be a family and U.S. veteran-owned organization. As a global leader on the forefront of optical technology, Wiley X exists because it recognizes the reality that today's lifestyles pose constant threats to eye health.

Wiley X products are put through rigorous testing in order to obtain ANSI Z87.1-2003 certification, and in the case of some styles, the military's stringent Ballistic V0 impact certification. However, eye protection for everyday life only works if people want to wear it. That's why Wiley X remains committed to creating stylish eyewear desirable for virtually any occasion.

DAINGER AVERTED AHEAD



Projectiles and debris while recreating outdoors, working around the house or on the job can pose imminent threats to the eye.

.....

Wiley X frames and lenses are subjected to **RIGOROUS CERTIFICATION TESTS**, even withstanding (20) .25 caliber steel balls fired at a rate of 150 feet-per-second.



Fine dust and pollen, as well as wind, can cause long-term eye irritation, such as Dry Eye Syndrome. Peripheral light can also diminish optical clarity.

.....



Wiley X patented removable soft foam **FACIAL CAVITY™ SEALS** block out even the finest irritants and peripheral light, protecting the eyes and allowing polarized lenses to perform at peak levels.


Glare off the water and other light colored surfaces can diminish vision at critical moments and cause eye fatigue.

.....

Wiley X FILTER 8™ POLARIZED LENSES

combine eight layers of lens technology:

- two Slick™ clear optical coatings;
- two Selenite™ polycarbonate lenses;
- two T-Shell™ scratch-resistant layers;
- one Violet 4™ anti-reflective coating and a
- Filter 8™ polarized film layer that creates 99.9% polarization with 100% UV protection.



Changing light conditions without swapping or removing sunglasses can make hazardous situations in the field of vision easy to miss.



Wiley X LA™ LIGHT ADJUSTING LENSES automatically adjust lens tint with changing UV light conditions.

Challenging climates can create heat build up and fogging, dramatically impairing vision when needed most.

.....

TOP DOWN™ VENTILATION facilitates airflow, reducing heat and fogging thereby allowing optimal vision of the trail or road.



THE WILEY X FACTOR:

NEARLY INDESTRUCTIBLE LENSES, DURABLE FRAMES, INCREDIBLE STYLE.

SHATTERPROOF SELENITE™ POLYCARBONATE LENSES.

Each Wiley X lens is made from one of the world's most impact resistant lens materials (trust us, we've scoured the globe for durable lens ideas). They far exceed ANSI Z87.1 safety and ANSI Z80.3 optical standards.

SCRATCH RESISTANT T-SHELL™ HARDCOAT

Wiley X lenses protect eyes; this resilient coating protects the lenses. Get fewer of those annoying little scratches and nicks.


VIRTUALLY UNBREAKABLE TRILOID NYLON FRAMES

Customers have even reported that frames run over by moving vehicles remain intact. That's the immeasurable advantage of owning a Wiley X.

FLAME RESISTANT FRAMES


All Wiley X frames easily surpass the ANSI Z87.1-2003 standard for flammability. Under an open flame, frames must burn at less than 3 minutes per inch. It only takes one horrific accident to appreciate this standard.

FOLD OUT
FOR LENS & FRAME
REFERENCE




THE JOB OF WILEY X LENSES.

Not only do Wiley X lenses withstand tough ANSI impact testing, they also must pass ANSI optical clarity standards. All Wiley X lenses block 100% of the sun's harmful UVA and UVB rays (up to 400 nanometers). The difference between Wiley X lenses and ordinary lenses is noticeable. It's also certified by rigorous ANSI testing.




RESOLVING POWER (CLARITY)

Ordinary lenses can distort objects viewed from a distance, as demonstrated in the Right image above. As measured in tests utilizing the NBS Pattern 20, Wiley X lenses (image Left) provide a clear view.



REFRACTIVE POWER

Inferior lenses can alter the true size of objects, as if looking through another person's prescription lens (above Right image). Wiley X ANSI certified lenses maintain true relative object size.



PRISMATIC POWER

It is common for ordinary lenses to bend light, causing focal objects to appear off center. Wiley X ANSI certified lenses provide a true spatial relationship of objects in the field of view.

LENS ANATOMY



SMOKE GREY LENSES* Maximum glare reduction. Won't distort colors. Excellent in bright/glare conditions. Light transmission: 15%, 11% Polarized.



LA™ LIGHT ADJUSTING SMOKE GREY LENSES Darken as the brightness of the sun dictates. Maximize optical clarity. Light transmission: 85% to 17% (in sunlight).



CLEAR LENSES Maximum light transmission. See precise color values. Hazy or overcast, dusk/dawn conditions. Light transmission: 89%.



SMOKE GREEN LENSES* Maximum glare reduction without distorting colors. Great for general daytime use. Light transmission: 21%, 17% Polarized.



BRONZE LENSES* For superior visual definition. Increase contrast, enhance ground level contours in most light conditions. Light transmission: 20%, 19% Bronze Flash (Crimson Brown), 19% Silver Flash (Bronze), 13% Polarized Bronze.



LA™ LIGHT ADJUSTING BRONZE LENSES Darken as the brightness of the sun dictates. Darkens on bright days, clear on overcast days. Maximize optical clarity. Light transmission: 82% to 21% (in sunlight).



LIGHT RUST LENSES Filters out blue light waves, the chief component of glare and haze. Enhance contrast in medium to low-light conditions. Light transmission: 53%.



CORAL PINK LENSES Improve details and enhance depth perception when encountering low or artificial light conditions. Light transmission: 19%.



SILVER FLASH (SMOKE GREY) LENSES* Multi-coat, Z-Oxide mirror over smoke lenses. Reduces glare. Excellent on bright days. Light transmission: 7%, 10% Polarized.



BLUE MIRROR (GREEN) LENSES* Multi-coat, green lenses. Absorb reflections across mirror surface, diminish glare. Ideal in bright conditions. Light transmission: 10% Polarized.



EMERALD MIRROR (AMBER) LENSES* An amber tinted lens under an emerald green multi-coat mirror surface that's specially designed to amplify color contrast and deliver high visual definition. Distinct colors and crisp acuity in all light conditions for superior vision performance. Light transmission: 12% Polarized.



VERMILLION LENSES Are best for medium to low light conditions. Sharpens contrast and brightens targets. 50% light transmission.



Meets or exceeds the military's stringent MIL-DTL-43511D (goggles) and MIL-PRF-31013 (spectacles) ballistic standards.



Wiley X ANSI approved frames can accommodate prescription safety lenses up to +6.00/-6.00 Total Power. Certain restrictions apply—ask your Account Representative for more details.



Our proprietary polarized lens technology adds 99.9% polarization to 100% ultra violet protection for unequalled clarity and contrast.



Our patented removable Facial Cavity™ Seal blocks out wind, debris and peripheral light.



Meets and exceeds ANSI Z87.1-2003 high velocity impact safety and optical standards.

*Polarized available in select styles.

CLIMATE

CONTROL SERIES



Take on whatever's thrown your way with the Climate Control™ Series. Wind, dust, debris, peripheral light—patented removable soft foam Facial Cavity™ Seals block them all. With your choice of regular, polarized or L.A.™ light adjusting lenses, Mother Nature doesn't stand a chance.



NEW
CURVE

CCCUR05 / LA™ Light Adjusting Smoke Grey / Gloss Black Frame

FOR YOUTH, WOMEN AND NARROW FACES



Frame Size

60 17 120



Removable Facial Cavity™ Seal Included

FITS HEAD SIZE: S

CCCUR01

LENS: Smoke Grey
FRAME: Gloss Black

CCCUR04

LENS: Polarized Smoke Green
FRAME: Gloss Black

CCCUR05

LENS: LA™ Light Adjusting
Smoke Grey
FRAME: Gloss Black



FITS HEAD SIZE: M-L

CCROU01

LENS: Smoke Grey
FRAME: Gloss Black

CCROU04

LENS: Polarized Emerald Mirror
(Amber)
FRAME: Gloss Black

CCROU05

LENS: LA™ Light Adjusting
Smoke Grey
FRAME: Gloss Black



ROUT

CCROU01 / Smoke Grey / Gloss Black Frame



Frame Size

66 17 120



Removable Facial Cavity™ Seal Included

AIRBORNE

CCAIRO1 / Smoke Grey / Gloss Black Frame



Frame Size

64.5	17	120
------	----	-----



Removable Facial Cavity™ Seal Included

FITS HEAD SIZE: M-L

CCAIRO1

LENS: Smoke Grey
FRAME: Gloss Black

CCAIRO3

LENS: Clear
FRAME: Gloss Black

CCAIRO4

LENS: Polarized Smoke Green
FRAME: Metallic Black

CCAIRO6

LENS: LA™ Light Adjusting
Bronze
FRAME: Gloss Black

CCAIRO7

LENS: Smoke Grey
FRAME: Matte Black



JAKE

CCJAK07 / Bronze Flash / Gloss Black Frame



Frame Size
64 15 125



CCJAK04

FITS HEAD SIZE: M-L

CCJAK01

LENS: Smoke Grey
FRAME: Gloss Black

CCJAK03

LENS: Clear
FRAME: Gloss Black

CCJAK04

LENS: Polarized Bronze
FRAME: Gloss Brown Fade

CCJAK05

LENS: LA™ Light Adjusting
Smoke Grey
FRAME: Gloss Black

CCJAK06

LENS: Polarized Emerald Mirror
(Amber)
FRAME: Gloss Black

CCJAK07

LENS: Bronze Flash
(Crimson Brown)
FRAME: Gloss Black

CCJAK08

LENS: LA™ Light Adjusting
Bronze
FRAME: Gloss Black



Removable Facial Cavity™ Seal Included

FITS HEAD SIZE: S-M

693

LENS: Clear
FRAME: Gloss Black

694



LENS: Smoke Grey
FRAME: Matte Black

695

LENS: Bronze Flash
(Crimson Brown)
FRAME: Crystal Bronze

696

LENS: LA™ Light Adjusting
Smoke Grey
FRAME: Gloss Black

697

LENS: Polarized Silver Flash
(Smoke Grey)
FRAME: Crystal Metallic

698

LENS: Polarized Blue Mirror
(Green)
FRAME: Gloss Black

699

LENS: LA™ Light Adjusting
Bronze
FRAME: Gloss Black



AIRRAGE

695 / Bronze Flash / Crystal Bronze Frame



Frame Size
60.5 18 120



697

Removable Facial Cavity™ Seal Included

BRICK

855 / Silver Flash / Crystal Metallic Frame



Frame Size
63 18 120

FITS HEAD SIZE: M-L

853

LENS: Clear
FRAME: Gloss Black

854

LENS: Smoke Grey
FRAME: Matte Black

855

LENS: Silver Flash
(Smoke Grey)
FRAME: Crystal Metallic

856

LENS: LA™ Light Adjusting
Smoke Grey
FRAME: Metallic Black

857

LENS: Polarized Smoke Grey
FRAME: Gloss Black



Removable Facial Cavity™ Seal Included

FITS HEAD SIZE: S-M

553

LENS: Clear
FRAME: Matte Black

555

LENS: Silver Flash
(Smoke Grey)
FRAME: Aluminum Gloss

556

LENS: LA™ Light Adjusting
Smoke Grey
FRAME: Metallic Black

557

LENS: Polarized Bronze
FRAME: Matte Black

558

LENS: Polarized Silver Flash
(Smoke Grey)
FRAME: Aluminum Gloss



Removable Facial Cavity™ Seal Included

BLINK

558 / Polarized Silver Flash / Aluminum Gloss Frame



Frame Size
61 19 120

GOGGLES

SG-1 71 / Smoke Grey / Matte Black Frame



Frame Size

60	24	130
----	----	-----

Temples Included



FITS HEAD SIZE: M-XL

2 LENS PACKAGE

70 v-CUT™
(ADVANCED VENTILATION)

LENSES: Smoke Grey – Clear

FRAME: Matte Black

71

LENSES: Smoke Grey – Clear

FRAME: Matte Black

SG-1M ASIAN FIT

LENSES: Smoke Grey – Clear

FRAME: Matte Black

SINGLE LENS PACKAGE

77

LENS: LA™ Light Adjusting

Smoke Grey

FRAME: Matte Black



ACTIVE SERIES



When you play hard, your eyewear had better too. The Active Series is perfect for activities that work up a sweat, with rubber nose and temple grips that ensure a snug fit. Gear up with high velocity protection that looks good in the wild or out.



LANTERN

ACLAN04 / Polarized Bronze / Gloss Tortoise Frame



Frame Size
65 15 120



ACLAN01

FITS HEAD SIZE: M-L

ACLAN01

LENS: Smoke Grey
FRAME: Gloss Black

ACLAN04

LENS: Polarized Bronze
FRAME: Gloss Tortoise



SLAY

ACSLA01 Black Ops / Smoke Grey / Matte Black Frame

FITS HEAD SIZE: M

ACSLA01



LENS: Smoke Grey
FRAME: Matte Black

ACSLA04

LENS: Polarized Smoke Grey
FRAME: Gloss Black



Frame Size
65 18 120

NEW
FLARE ACFLA04 / Polarized Emerald Mirror / Matte Black Frame



Frame Size

65	15	120
----	----	-----

FITS HEAD SIZE: M-L

ACFLA01

LENS: Smoke Grey
FRAME: Gloss Black

ACFLA04

LENS: Polarized Emerald Mirror
(Amber)
FRAME: Matte Black



ZAK ACZAK07 / Polarized Blue Mirror / Gloss Black Frame



Frame Size
65 15 128

FITS HEAD SIZE: M-XL

ACZAK04

LENS: Polarized Smoke Grey
FRAME: Gloss Black

ACZAK06

LENS: Bronze Flash
(Crimson Brown)
FRAME: Gloss Black

ACZAK07

LENS: Polarized Blue Mirror
(Green)
FRAME: Gloss Black

ACZAK08



LENS: Smoke Grey
FRAME: Matte Black



FITS HEAD SIZE: M-L

P-17

LENS: Polarized Smoke Green
FRAME: Gloss Black

P-17M



LENS: Smoke Grey
FRAME: Matte Black

P-17NP

LENS: Silver Flash (Bronze)
FRAME: Gloss Demi

P-17GM

LENS: Polarized Emerald Mirror
(Amber)
FRAME: Gloss Black

P-17 P-17NP / Silver Flash / Gloss Demi Frame



Frame Size
61 18 125



P-17GM



STREET SERIES



Bold designs meet bolder protection. The Street Series protects with shatterproof frames and lenses. Not to mention, ANSI safety certification. They may look pretty, but Street Series eyewear is tough as nails.



QUAKE

SSQUA01 / Smoke Green / Gloss Black Frame



Frame Size

62	15	125
----	----	-----

FITS HEAD SIZE: M

SSQUA01

LENS: Smoke Green

FRAME: Gloss Black

SSQUA04

LENS: Polarized Bronze

FRAME: Gloss Black



XCESS SSXCE04 / Polarized Emerald Mirror / Gloss Black Frame



Frame Size

64.5	15	125
------	----	-----

SKEET REESE SIGNATURE MODEL

FITS HEAD SIZE: M

SSXCE01

LENS: Smoke Grey
FRAME: Gloss Black

SSXCE04

LENS: Polarized Emerald Mirror
(Amber)
FRAME: Gloss Black



SKEET REESE / BASSMASTER CLASSIC CHAMPION



SCISSOR

SSSCI04 / Polarized Blue Mirror / Gloss Black Frame



Frame Size
64 14 120

FITS HEAD SIZE: M

SSSCI01

LENS: Smoke Grey
FRAME: Gloss Black

SSSCI04

LENS: Polarized Blue Mirror
(Green)
FRAME: Gloss Black



HYDRO

SSHYD04 / Polarized Smoke Green / Gloss Black Frame



Frame Size
66.5 15 125

FITS HEAD SIZE: M-L

SSHYD01

LENS: Smoke Grey
FRAME: Matte Black

SSHYD04

LENS: Polarized Smoke Green
FRAME: Gloss Black



SLIK

SSSLK4 / Polarized Bronze / Gloss Tortoise Frame

FITS HEAD SIZE: M

SSSLK1

LENS: Smoke Grey
FRAME: Gloss Black

SSSLK4

LENS: Polarized Bronze
FRAME: Gloss Tortoise



Frame Size

61	14	120
----	----	-----

SSSLK1

REIGN

SSREI01 / Polarized Silver Flash / Gloss Black Frame



Frame Size

61	16	120
----	----	-----

FITS HEAD SIZE: M-L

SSREI01

LENS: Polarized Silver Flash
(Smoke Grey)
FRAME: Gloss Black

SSREI02



LENS: Smoke Grey
FRAME: Matte Black



REVOLVR

SSREV1 / Smoke Grey / Gloss Black Frame



FITS HEAD SIZE: M-L

SSREV1

LENS: Smoke Grey
FRAME: Gloss Black

SSREV8

BLACK OPS

LENS: Smoke Grey
FRAME: Matte Black



LACEY BCRF*

SSLAC03 / Coral Pink / Cotton Candy Frame



Frame Size

61.5	16	120
------	----	-----

*\$3.00 FOR EACH LACEY SOLD WILL BE DONATED TO THE BREAST CANCER RESEARCH FOUNDATION®

FITS HEAD SIZE: S-M

SSLAC03

LENS: Coral Pink

FRAME: Cotton Candy

SSLAC04

LENS: Polarized Bronze

FRAME: Cotton Candy



ASHLEY

SSASH02 / Bronze / Gloss Brown Fade Frame



Frame Size

64.5 14 120



SSASH04

FITS HEAD SIZE: S-M

SSASH01

LENS: Smoke Grey
FRAME: Gloss Black

SSASH02

LENS: Bronze
FRAME: Gloss Brown Fade

SSASH04

LENS: Polarized Smoke Grey
FRAME: Gloss Black



DALILA

SSDAL06 / Smoke Grey / Crystal Blue Fade Frame



Frame Size

63 16 120



SSDAL03

FITS HEAD SIZE: M

SSDAL03

LENS: Smoke Grey
FRAME: Gloss Green Tea

SSDAL06

LENS: Smoke Grey
FRAME: Crystal Blue Fade



CHANGEABLES



Just one pair of eyewear for a plethora of changing conditions and activities? Damn straight. The unique design and versatile lens packages of the Changeable Series make swapping lenses a snap. That means you're always covered with the right protection.



XL-1 ADVANCED

291 / Smoke Grey / Matte Black Frame



Frame Size
62.5 | 17 | 116

Rx lenses not changeable



Removable Ultra Foam™ Gasket included

FITS HEAD SIZE: M-L

2 LENS PACKAGE

291

LENSES: Smoke Grey – Clear

FRAME: Matte Black



SINGLE LENS PACKAGE

297

LENS: LA™ Light Adjusting Smoke Grey

FRAME: Matte Black



FITS HEAD SIZE: M-L

2 LENS PACKAGE

1004

LENSES: Smoke Grey – Clear

FRAME: Matte Black



3 LENS PACKAGE

1006

LENSES: Smoke Grey – Clear – Light Rust

FRAME: Matte Black



ROMER II ADVANCED

1006 / Clear / Matte Black Frame



Frame Size
65 | 12 | 110

Rx lenses not changeable

GUARD 4006 / Smoke Grey / Matte Black Frame



Frame Size

76	15	120
----	----	-----

FITS HEAD SIZE: M-L
3 LENS PACKAGE



4006
LENSES: Smoke Grey – Clear – Light Rust
FRAME: Matte Black



WX TALON

CHTAL2 / Smoke Grey / Matte Black Frame



FITS HEAD SIZE: L-XL
2 LENS PACKAGE



CHTAL1

LENSES: Smoke Grey – Clear
FRAME: Matte Black

3 LENS PACKAGE



CHTAL2

LENSES: Smoke Grey – Clear – Light Rust
FRAME: Matte Black



Frame Size

44.5	18	120
------	----	-----



Rx Plug-In

SABER ADVANCED 303 / Clear / Matte Black Frame



Frame Size

44	25	120
----	----	-----



Rx Plug-In also fits PT-1 and PT-3



Temples can be interchanged with adjustable strap

FITS HEAD SIZE: M-L

SINGLE LENS PACKAGE

302

LENS: Smoke Grey
FRAME: Matte Black



303

LENS: Clear
FRAME: Matte Black



2 LENS PACKAGE

306

LENSES: Smoke Grey – Light Rust
FRAME: Matte Black



2 FULL SETS

307

LENS: Smoke Grey
FRAME: Matte Black



LENS: Clear

FRAME: Matte Black



3 LENS PACKAGE

309

LENSES: Smoke Grey – Light Rust – Vermillion
FRAME: Matte Black



PT-1

PT-1L / Light Rust / Matte Black Frame



**MADE IN
U.S.A.**

Frame Size
47 28 120

FITS HEAD SIZE: M-XL

SINGLE LENS PACKAGE

PT-1S
LENS: Smoke Grey
FRAME: Matte Black

PT-1C
LENS: Clear
FRAME: Matte Black

PT-1L
LENS: Light Rust
FRAME: Matte Black

2 LENS PACKAGE

PT-1SC
LENSES: Smoke Grey – Clear
FRAME: Matte Black

3 LENS PACKAGE

PT-1SCL
LENSES: Smoke Grey – Clear – Light Rust
FRAME: Matte Black



*Rx Plug-In also fits PT-3
and Saber Advanced*

PT-3

PT-3SC / Smoke Grey / Matte Black Frame

FITS HEAD SIZE: M-L

2 LENS PACKAGE

PT-3SC
LENSES: Smoke Grey – Clear
FRAME: Matte Black

3 LENS PACKAGE

PT-3SCL
LENSES: Smoke Grey – Clear – Light Rust
FRAME: Matte Black



Frame Size
47 28 120



*Rx Plug-In also fits PT-1
and Saber Advanced*

ACCESSORIES



Black Zippered Clamshell—Large
DM112



Black Zippered Clamshell—Medium
DM121



Counter Mirror
9106



12PR Locking Display
87



USA-Made Zipper Case w/ Two Sleeves
TS-235



Cleaning Cloth
A425



Leash Cord
EH-492-1



Microfiber Case w/ Drawstring
MB-310



24PR Rugged Briefcase Display
85P



T-PEG Elastic Strap
EH409-4



Beaded Tactical Strap
258A



30PR Locking Display
with Pedestal Storage Base
89

SOME OF THE BIGGEST NAMES IN RACING
ARE CHOOSING WILEY X.
YOUR CUSTOMERS WILL BE, TOO.



24PR Locking Display
88



48PR Locking Display with
Pedestal Storage Base
9101

Carl Edwards

Joey Logano

Matt Kenseth

Denny Hamlin

Greg Biffle



THE **WILEY X** *Fearless Five*

WWW.WILEYXRACING.COM



Wiley X, Inc., USA // WWW.WILEYX.COM
7800 Patterson Pass Rd. Livermore, CA 94550, USA
Tel: 1.800.776.7842 // Fax: 925.455.8860
Tel: 1.925.243.9810

Wiley X, Inc., Europe // WWW.WILEYX.EU
Sondergade 8-10, 7570 Vemb, Denmark
Tel: +45.96.93.00.45 // Fax: +45.96.93.00.40

TERMS AND CONDITIONS

All Wiley X models may be combined when compiling a quantity order. Extreme care is taken when packaging all products we ship. If a discrepancy occurs, a claim should be made immediately.

Standard Terms: NET30 (upon credit approval). COD Invoices incur minimal shipping and handling fee. Credit Card (Visa, Master Card, Discover, American Express).

INTERNATIONAL CUSTOMERS

All shipments are sent prepaid and freight collect.

Greg Biffle's, Carl Edward's and Matt Kenseth's names and likenesses used by authority of Roush Fenway Racing, LLC. WILEY X, the WILEY X Eyewear logo, WX, the WX Eyewear logo, the WX WILEY X logo and product names are trademarks or registered trademarks (marca registrada) of Wiley X, Inc., in the U.S. and other countries. Logos: © 2007-2009 Wiley X, Inc. All rights reserved.

EYEWEAR LIMITED LIFETIME WARRANTY

All non-prescription Wiley X, Inc. eyewear is warranted to the original purchaser for life against manufacturing defect in materials and workmanship (except Light Adjusting [L.A.] lenses, which have a tint adjustment life of 18 months. Proof of Purchase for L.A. lens products required). Original purchaser must include a shipping, handling and processing fee of \$9.00 and applicable tax (to be paid by credit card) with any warranty claim. To begin warranty/repair evaluation process or for additional information about the Wiley X, Inc., Limited Lifetime Warranty, go to <http://www.wileyx.com/support/warranty.aspx> or call 800-776-7842.

PRESCRIPTION FRAME WARRANTY

Wiley X, Inc., prescription sunglass warranties must be handled through the local retailer or dispensing optician you originally purchased from. **Proof of purchase required.** Warranty is for 1-year, but is void if prescription was originally handled by any lab "not authorized" by Wiley X, Inc. For additional assistance regarding prescriptions, please refer to the FAQ's at <http://www.wileyx.com/prescriptions>

RETURNS AND EXCHANGES

Returns and exchanges will be accepted with a Wiley X issued Return Authorization number only. Returns must be in resalable condition, as determined by Wiley X for product not discontinued longer than six months. All returns must be shipped prepaid from point of origin, unless prior arrangements have been made. No COD returns accepted. New orders resulting from exchanges will be shipped upon receipt of returned merchandise unless other arrangements have been made with Wiley X. Customers are responsible for all shipping charges, both inbound and outbound.

Returns should be sent attention: RETURNS DEPARTMENT.